

REMARKS

Claims 1-44, as amended, remain herein. Claims 32-43 are presently withdrawn. Claims 1, 8, and 26 have been amended. Support for the amendments may be found throughout the specification (see, e.g., figures, particularly, FIG. 3(a)).

1. Claims 1-7 and 26-31 were rejected under 35 U.S.C. § 103(a) over Rouviere FR 2 797 579 in view of Grunert et al. U.S. Patent 3,030,959 and Kolomeir U.S. Patent 3,708,235.

Applicants' claims 1 and 26 recite a puncture instrument housing a plurality of puncture needles, wherein each puncture needle comprises a body member and a needle member, wherein a base end of the needle member is secured in and substantially coaxial with the body member, and a needle point end protrudes forwardly; and the body member comprises a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle, and wherein the forward end and the rear end have substantially complementary shapes such that the needle members are hygienically maintained and deployed, and such that the puncture needles are connected in such a manner that removal of a puncture needle pulls the next puncture needle to the puncture position.

None of Rouviere, Grunert, and Kolomeir teaches or suggests applicants' claimed puncture instrument wherein each puncture needle comprises a body member comprising a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle. Grunert does not disclose a puncture

needle comprising a body member and a needle member and each of Rouviere and Kolomeir discloses a rear end covering the forward end not a forward end covering the outer surface of the rear end as required in applicants' claims. In addition, neither Rouviere nor Kolomeir discloses a forward end extending in the apical direction of the needle member so as to surround the needle point end.

In addition, Kolomeir pertains to art that is non-analogous to the present application. See MPEP § 2141.01(a)(I) ("To rely on a reference under 35 U.S.C. § 103, it must be analogous prior art."). Unlike the present application, Kolomeir relates to a marking instrument and says nothing about a puncture instrument or puncture needles. A person of ordinary skill in this art would not have been motivated to combine Rouviere, Grunert and Kolomeir because the mechanism of Kolomeir may not be suitable for puncture needles and says nothing about hygienically maintaining and deploying the marking units.

Thus, none of Rouviere, Grunert, or Kolomeir teaches or suggests applicants' claimed invention. In addition, Rouviere, Grunert and Kolomeir disclose nothing that would have suggested applicants' claimed invention to one of ordinary skill in the art. There is no disclosure or teaching in any of Rouviere, Grunert, Kolomeir or otherwise in this record, that would have suggested the desirability of modifying any portions thereof effectively to anticipate or suggest applicants' presently claimed invention. Applicants respectfully request reconsideration and withdrawal of this rejection.

2. Claims 8-17, 21, 22, 24 and 25 were rejected under 35 U.S.C. § 103(a) over Grunert in view of Kolomeir.

Applicants' claim 8 recites a puncture needle cartridge comprising a plurality of puncture

needles, wherein each puncture needle comprises a body member and a needle member, wherein a base end of the needle member is secured in and substantially coaxial with the body member, and a needle point end protrudes forwardly; and the body member comprises a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle, and wherein the forward end and the rear end have substantially complementary shapes such that the needle members are hygienically maintained and deployed, and such that the puncture needles are connected in such a manner that removal of a puncture needle pulls the next puncture needle to the puncture position.

As discussed above, neither Grunert nor Kolomeir teaches or suggests applicants' claimed puncture needle cartridge, wherein each puncture needle comprises a body member comprising a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle.

Thus, neither Grunert nor Kolomeir teaches or suggests applicants' claimed invention. In addition, Grunert and Kolomeir disclose nothing that would have suggested applicants' claimed invention to one of ordinary skill in the art. There is no disclosure or teaching in Grunert, Kolomeir, or otherwise in this record, that would have suggested the desirability of modifying any portions thereof effectively to anticipate or suggest applicants' presently claimed invention. Applicants respectfully request reconsideration and withdrawal of this rejection.

3. Claims 19, 20, 22 and 23 were rejected under 35 U.S.C. § 103(a) over Grunert in

view of Kolomeir and Rouviere. Claims 19, 20, 22 and 23 depend, directly or indirectly, from claim 8.

Applicants' claim 8 recites a puncture needle cartridge comprising a plurality of puncture needles, wherein each puncture needle comprises a body member and a needle member, wherein a base end of the needle member is secured in and substantially coaxial with the body member, and a needle point end protrudes forwardly; and the body member comprises a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle, and wherein the forward end and the rear end have substantially complementary shapes such that the needle members are hygienically maintained and deployed, and such that the puncture needles are connected in such a manner that removal of a puncture needle pulls the next puncture needle to the puncture position.

As discussed above, none of Grunert, Kolomeir, or Rouviere, teaches or suggests applicants' claimed puncture needles each comprising a body member comprising a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle.

Thus, none of Grunert, Kolomeir, or Rouviere teaches or suggests applicants' claimed invention. In addition, Grunert, Kolomeir, and Rouviere disclose nothing that would have suggested applicants' claimed invention to one of ordinary skill in the art. There is no disclosure or teaching in Grunert, Kolomeir, Rouviere, Smith or otherwise in this record, that would have suggested the desirability of modifying any portions thereof effectively to anticipate or suggest

applicants' presently claimed invention. Applicants respectfully request reconsideration and withdrawal of this rejection.

4. Claim 44 [wrongly identified as claim 43 in the Office Action, page 11] was rejected under 35 U.S.C. § 103(a) over Rouviere in view of Grunert, Kolomeir, and Weiss U.S. Patent 5,957,601. Claim 44 depends from claim 1.

Applicants' claim 1 recites a puncture instrument housing a plurality of puncture needles, wherein each puncture needle comprises a body member and a needle member, wherein a base end of the needle member is secured in and substantially coaxial with the body member, and a needle point end protrudes forwardly; and the body member comprises a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle, and wherein the forward end and the rear end have substantially complementary shapes such that the needle members are hygienically maintained and deployed, and such that the puncture needles are connected in such a manner that removal of a puncture needle pulls the next puncture needle to the puncture position.

As discussed above, none of Rouviere, Grunert, and Kolomeir teaches or suggests applicants' claimed puncture instrument wherein each puncture needle comprises a body member comprising a forward end and a rear end, wherein the forward end extends in the axial direction of the needle member to surround the needle point end, such that when connected to a second puncture needle, the forward end covers the outer surface of the rear end of the second puncture needle.

Weiss does not teach or suggest what is missing from Rouviere, Grunert, and Kolomeir.

Weiss at FIG. 1 discloses a bell shaped end surrounding the rear portion of a writing segment; however none of Weiss's writing implements discloses a forward end extending in the axial direction of the needle member to surround the needle point end. Such claimed structure is not obvious but ensures higher safety, particularly when detaching a used puncture needle.

For all the foregoing reasons, all claims 1-31 and 44 are now proper in form and patentably distinguished over all grounds of rejection cited in the Office Action. The PTO is hereby authorized to charge or credit any necessary fees to Deposit Account No. 19-4293. Should the Examiner deem that any further amendments would be desirable in placing this application in even better condition for issue, he is invited to telephone applicants' undersigned representative.

Respectfully submitted,

STEPTOE & JOHNSON LLP

Date: February 12, 2010

Houda Morad
Roger W. Parkhurst
Reg. No. 25,177
Houda Morad
Reg. No. 56,742

STEPTOE & JOHNSON LLP
1330 Connecticut Ave., N.W.
Washington, D.C. 20036
Tel: (202) 429-3000
Fax: (202) 429-3902